# LogiLink

according to Regulation (EC) No 1907/2006

## LogiLink Spray Duster RP0001

Revision date: 12.02.2021

Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

LogiLink Spray Duster RP0001

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

see product name

## 1.3. Details of the supplier of the safety data sheet

Company name:	2direct GmbH	
Street:	Langenstück 5 / Industriegebiet Golsberg	
Place:	D-58579 Schalksmühle	
Telephone:	+49 2351 66887-0	Telefax:+49 2351 66887-29
e-mail:	info@2direct.de	
1.4. Emergency telephone	+49 2351 66887-0	
number:	Only available during office hours.	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

Hazard categories: Aerosol: Aerosol 1 Hazard Statements: Extremely flammable aerosol. Pressurised container: May burst if heated.

## 2.2. Label elements

## Regulation (EC) No. 1272/2008

Signal word: Danger

**Pictograms:** 



#### Hazard statements

H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.

#### Precautionary statements

outlionally oluto	
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

## 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

# LogiLink

according to Regulation (EC) No 1907/2006

## LogiLink Spray Duster RP0001

Revision date: 12.02.2021

Page 2 of 8

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulati	on (EC) No. 1272/2008 [CLP]	•	
106-97-8	butane			65 - < 70 %
	203-448-7		01-2119474691-32	
	Flam. Gas 1, Liquefied gas; H220 F	1280		
74-98-6	propane			30 - < 35 %
	200-827-9		01-2119486944-21	
	Flam. Gas 1, Liquefied gas; H220 F	1280		

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Call a physician immediately.

## After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

## After ingestion

Exposure route not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

Water.

## 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers.

## **SECTION 6: Accidental release measures**

# LogiLink

according to Regulation (EC) No 1907/2006

## LogiLink Spray Duster RP0001

Revision date: 12.02.2021

Page 3 of 8

## 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

## 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Do not pierce or burn, even after use.

## Advice on protection against fire and explosion

Do not spray on naked flames or any incandescent material. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Further information on handling

Heating causes rise in pressure with risk of bursting.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

## 7.3. Specific end use(s)

Aerosol

### SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
106-97-8	Butane	600	1450		TWA (8 h)	WEL
		750	1810		STEL (15 min)	WEL

#### 8.2. Exposure controls

## Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

#### Eye/face protection

Wear eye protection/face protection. Suitable eye protection: Eye glasses with side protection DIN EN 166

# Hand protection

Hand protection is not required

#### Skin protection

Wear anti-static footwear and clothing

# LogiLink

according to Regulation (EC) No 1907/2006

## LogiLink Spray Duster RP0001

Revision date: 12.02.2021

#### **Respiratory protection**

Usually no personal respirative protection necessary.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Physical state: liauid Colour: colourless Odour: odourless pH-Value: not applicable Changes in the physical state Melting point: not applicable Initial boiling point and boiling range: < -20 °C < -20 °C Flash point: Sustaining combustion: No data available Flammability Solid: not applicable Gas: not applicable **Explosive properties** In use may form flammable/explosive vapour-air mixture. Lower explosion limits: 1,4 vol. % Upper explosion limits: 15 vol. % 287 °C Ignition temperature: Auto-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: not determined **Oxidizing properties** Not oxidising. Vapour pressure: not determined Density (at 20 °C): 0,56 g/cm<sup>3</sup> Water solubility: practically insoluble (at 20 °C) Solubility in other solvents not determined Partition coefficient: not determined Viscosity / dynamic: not applicable Vapour density: not determined Evaporation rate: not determined 9.2. Other information Solid content: not determined

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

Flammable, Ignition hazard.
-----------------------------

## 10.2. Chemical stability

Page 4 of 8

# LogiLink

according to Regulation (EC) No 1907/2006

## LogiLink Spray Duster RP0001

#### Revision date: 12.02.2021

Page 5 of 8

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
106-97-8	butane						
	Acute fish toxicity	LC50 mg/l	49,9	96 h	Fish, no other information	United States Enviro	The Ecosar class pro
	Acute algae toxicity	ErC50 mg/l	19,37	96 h	Algae	USEPA OPPT Risk Asse	Calculation using EC
74-98-6	propane						
	Acute fish toxicity	LC50 mg/l	147,54	96 h	Fish, no other information	United States Enviro	The Ecosar class pro
	Acute algae toxicity	ErC50 mg/l	16,47	96 h	Green algea	United States Environmental Protection A	Calculation using ECOSAR Program v1.00.
	Acute crustacea toxicity	EC50 mg/l	46,6	48 h	Daphnid no other information.	United States Environmental Protection A	Calculation using ECOSAR Program v1.00

## 12.2. Persistence and degradability

# LogiLink

Page 6 of 8

according to Regulation (EC) No 1907/2006

## LogiLink Spray Duster RP0001

Revision date: 12.02.2021

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
106-97-8	butane	1,81
74-98-6	propane	1,81

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

160504 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; gases in pressure containers (including halons) containing hazardous substances; hazardous waste

#### Contaminated packaging

Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

Land transport (ADR/RID)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2
14.4. Packing group:	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	EO
Transport category:	2
Tunnel restriction code:	D
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 1950
14.2. UN proper shipping name:	AEROSOLS
14.3. Transport hazard class(es):	2

# LogiLink®

according to Regulation (EC) No 1907/2006

## LogiLink Spray Duster RP0001

of 8

14.4. Packing group:	-		
Hazard label:	2.1		
	ANK .		
	2		
Classification code: Special Provisions:	5F 190 327 344 625		
Limited quantity:	190 327 344 023 1 L		
Excepted quantity:	E0		
larine transport (IMDG)			
<u>14.1. UN number:</u>	UN 1950		
14.2. UN proper shipping name:	AEROSOLS		
14.3. Transport hazard class(es):	2.1		
14.4. Packing group:	-		
Hazard label:	2.1		
	2		
Special Provisions:	63, 190, 277, 327	, 344, 959	
Limited quantity:	1000 mL		
Excepted quantity:	E0		
EmS:	F-D, S-U		
ir transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number:</u>	UN 1950		
14.2. UN proper shipping name:	AEROSOLS, flan	nmable	
14.3. Transport hazard class(es):	2.1		
14.4. Packing group:	-		
Hazard label:	2.1		
	JAKE .		
	$\langle \underline{\mathbf{a}} \rangle$		
	2		
Special Provisions:	A145 A167 A802		
Limited quantity Passenger:	30 kg G		
Passenger LQ: Excepted quantity:	Y203 E0		
IATA-packing instructions - Passenger:	EU	203	
IATA-packing instructions - Lassenger: IATA-max. quantity - Passenger:		75 kg	
IATA-packing instructions - Cargo:		203	
IATA-max. quantity - Cargo:		150 kg	
4.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
4.6. Special precautions for user Warning: Flammable gases.			
4.7. Transport in bulk according to Annex	II of Marpol and the	BC Code	
not applicable			

# LogiLink

according to Regulation (EC) No 1907/2006

## LogiLink Spray Duster RP0001

Revision date: 12.02.2021

Page 8 of 8

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information	
2010/75/EU (VOC):	100 % (560 g/l)
2004/42/EC (VOC):	100 % (560 g/l)
Information according to 2012/18/EU (SEVESO III):	P3a FLAMMABLE AEROSOLS
Additional information	
To follow: 850/2004/EC, 79/117/EEC,	689/2008/EC , 2008/47/EC
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D):	not water contaminating
15.2. Chemical safety assessment	
Chemical safety assessments for subs	stances in this mixture were not carried out.
SECTION 16: Other information	

## Changes

This data sheet contains changes from the previous version in section(s): 15,16.

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 1; H222-H229	On basis of test data

#### Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.

#### **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)