

DisplayPort™ Cable

Support up to 8K@60Hz & 4K@120Hz

Art. No.: CV0119 CV0120 CV0121

Experience audio and video in 8k resolution and best sound transmission. Perfect for connecting external screens or projector with a suitable computer or notebook.



DisplayPort 1.4 Feature

Support for high-bandwidth HBR3 (32.4 Gbps bandwidth), DSC 1.2 display stream compression, FEC forward error correction and 32 audio channels.



High Resolution

Supports video resolution up to 8K@60Hz and 4K@120Hz.





DisplayPort™ Cable

Support up to 8K@60Hz & 4K@120Hz

Art. No.: CV0119 CV0120 CV0121



DisplayPort Connector with Latches

It provides a secure connection with a release button that must be pressed before unplugging.



Gold Plated Connectors

DisplayPort 20pin male to male, with gold-plated connectors ensure superior cable performance and reliable connectivity.







DisplayPort™ Cable

Support up to 8K@60Hz & 4K@120Hz

Art. No.: CV0119 CV0120 CV0121


Feature:

» Convenient cable directly connects a DisplayPort equipped computer to a HD monitor or projector with DisplayPort input

Specifications:

Connection 1	DisplayPort 20pin, male			
Connection 2	DisplayPort 20pin, male			
Connector Material	Gold-Plated			
Max. Resolution	8K@60Hz, 4K@120Hz			
Bandwidth	Up to 32.4Gbps			
Color	Black			

Technical Drawing:





 $[\]ensuremath{^*}$ The specifications and pictures are subject to change without notice.

 $^{{}^*\!}AI\!I$ trade names referenced are the registered namework of their respective owners.



DisplayPort™ Cable

Support up to 8K@60Hz & 4K@120Hz

Art. No.: CV0119 CV0120 CV0121

Art-No.	Cable Length	EAN Code	
CV0119	1m	4052792051896	
CV0120	2m	4052792051902	
CV0121	3m	4052792051919	

Package Content:

» 1 x DisplayPort Cable

Package Information:

Art-No	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
CV0119	176 x 195 x 15mm	0.081kg	450 x 340 x 280mm	100pcs	9.3kg
CV0120	240 x 256 x 17mm	0.146kg	450 x 340 x 330mm	100pcs	15.9kg
CV0121	240 x 256 x 19mm	0.2ka	450 x 340 x 280mm	50pcs	11.2ka





^{*} The specifications and pictures are subject to change without notice.

^{*}All trade names referenced are the registered namework of their respective owners.