

LogiLink®

USB-C™ GaN Travel Charger

2 Ports, PD 3.0 + QC 3.0, 30 W

Art. No.: PA0301




Travel Without Limits



US



UK



AU



EU



2-Port fast charging 30 W USB-C GaN Travel Charger with 3 changeable adapters.



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



PA0301



4 052792 069709

Made in China

GaN Chargers are smaller since they require much fewer components compared to silicon chargers.

They also work more efficiently at much higher voltages than silicon chargers.

**Smaller
& Faster**



Up to 30 W output for a variety of devices from tablets to smartphones; it powers your devices at incredible speeds.



Supports PPS (Programmable Power Supply) charging and adjusting the output power in real-time, depending on device's charging status, feeding it with maximum power.



Extremely safe as it comes with overcharge, overdischarge, overload and short circuit protections.



Compact size makes it lightweight and easily fits into your laptop bag or backpack. The perfect mobile accessory for traveling.



Universal Compatibility

Suited for a wide variety of both USB-C/USB-A devices, and equipped with international voltage compatibility.







*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.



Travel-friendly

Built-in foldable US wall plug, also include three international plug adapters, fitting multiple countries and regions.

-  USA, Canada and most Asian countries.
-  Europe and most South America countries.
-  England, Ireland, Hong Kong, Malaysia and Singapore.
-  Australia, New Zealand, China and Argentina.

Specification:

Input	100–240 V AC 50/60 Hz 1 A
Output	USB-C: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/2.5 A (30 W), 15 V/2 A (30 W) 20 V/1.5 A (30 W) USB-A: 5 V/3 A (15 W), 9 V/3 A (27 W), 12 V/2.5 A (30 W), 20 V/1.5 A (30 W) USB-C + USB-A: 5 V/3 A (15 W max.) PPS: 3.3–11 V/3 A Max. total output: 30 W
Power Delivery	PD 3.0
Quick Charge	QC 3.0
Efficiency	Level VI
Protections	Overcharge, overdischarge, overload and short circuit
Operating Temperature	0–40°C
Operating Humidity	25–90% RH (no-condensation)
Color	Black
Dimensions	5.4 x 3.8 x 3.2 cm (wall charger)
Weight	60 g (wall charger)

Package Contents:

- » 1x USB-C Wall Charger
- » 3x Plug Adapters (AU, EU, UK)
- » 1x User Manual

Package Information:

- » Packing Dimension: 110 x 110 x 50 mm
- » Packing Weight: 0.131 kg
- » Carton Dimension: 460 x 240 x 280 mm
- » Carton Q'ty: 40 pcs
- » Carton Weight: 5.25 kg



*The specifications and pictures are subject to change without prior notice.
 *All trade names referenced are the registered trademarks of their respective owners.



PA0301



4 052792 069709

Made in China