

CORDONS RJ45 U/UTP CAT6A 10 GIGABITS

SPÉCIFICATIONS :

Cordon RJ45 CAT6A


2 x RJ45 non-blindé

EIA/TIA 568B

Câble U/UTP AWG26 CCA

Gaine PVC, Diam. : 5mm

DESSIN TECHNIQUE



www.logilink.de



RoHS
compliant



Longueur	Blanc	Code EAN
0.25 m	CP3011U	4052792044607
0.50 m	CP3021U	4052792044614
1.00 m	CP3031U	4052792044621
1.50 m	CP3041U	4052792044638
2.00 m	CP3051U	4052792044645
3.00 m	CP3061U	4052792044652
5.00 m	CP3071U	4052792044669
7.50 m	CP3081U	4052792044676
10.00 m	CP3091U	4052792044683



Longueur	Gris	Code EAN	Noir	Code EAN
0.25 m	CP3012U	4052792044034	CP3013U	4052792044164
0.50 m	CP3022U	4052792044041	CP3023U	4052792044171
1.00 m	CP3032U	4052792044058	CP3033U	4052792044188
1.50 m	CP3042U	4052792044065	CP3043U	4052792044195
2.00 m	CP3052U	4052792044072	CP3053U	4052792044201
3.00 m	CP3062U	4052792044089	CP3063U	4052792044218
5.00 m	CP3072U	4052792044096	CP3073U	4052792044225
7.50 m	CP3082U	4052792044102	CP3083U	4052792044232
10.00 m	CP3092U	4052792044119	CP3093U	4052792044249

CONTENU DE L'EMBALLAGE

1x Cordon U/UTP CAT6A

INFORMATIONS D'EMBALLAGES

Dimensions	140 x 6mm (0.25m)/Ø105 x 10mm (0.5m)/Ø130 x 15mm (1-2m)/Ø130 x 25mm (3m)/Ø140 x 30mm (5m)/Ø140 x 35mm (7.5m)/Ø160 x 35mm (10m)
Poids	0.0131kg (0.25m)/0.0217kg (0.5m)/0.0349kg (1m)/0.0481kg (1.5m)/0.0612kg (2m)/0.0876kg (3m)/0.1403kg (5m)/0.2062kg (7.5m)/0.272kg (10m)
Dimensions carton	400 x 300 x 380mm (0.25m)/400 x 300 x 280mm (0.5m)/400 x 300 x 340mm (1m)/400 x 300 x 500mm (1.5m)/400 x 300 x 480mm (2m)/400 x 300 x 380mm (3m)/400 x 300 x 400mm (5-10m)
Qté par carton	350pcs (0.25m)/250pcs (0.5m)/200pcs (1-1.5m)/150pcs (2m)/100pcs (3m)/60pcs (5m)/50pcs (7.5m)/40pcs (10m)
Poids par carton	3.925kg (0.25m)/4.765kg (0.5m)/6.32kg (1m)/8.96kg (1.5m)/8.52kg (2m)/8.1kg (3m)/7.758kg (5m)/9.65kg (7.5m)/10.22kg (10m)

